

10th July 1962]

பணத்தில் எவ்வளவு செலவிடப்பட்டிருக்கிறது? அந்த நடைபாதை எப்பொழுது டிரத்தியாகும். என்பதைக் கனம் அமைச்சர் அவர்கள் சொல்லுவார்களா?

கனம் திரு. சே. ம. அ. மஜீத் : இந்த திட்டத்திற்கு மொத்தமாக ஒதுக்கப்பட்டிருக்கும் தொகையைத் தெரிவித்தேன். மற்ற விபரங்களுக்கு தனிக் கேள்வி போட்டால், பதில் சொல்லப்படும்.

திரு. கே. ஏ. மதியழகன் : வளர்ந்துவரும் சென்னை நகரின் மக்கள் தொகையை உத்தேசித்து, சிக்காகோ நகரில் இருப்பது போன்று மாற்றுப் பாதைகளை அமைக்கும் திட்டம் சர்க்கார் உத்தேசத்தில் இருக்கிறதா?

கனம் திரு. சே. ம. அ. மஜீத் : இப்பொழுது அப்படி ஒன்றும் திட்டமில்லை.

அரக்கு உற்பத்தி.

\* 210 கேள்வி.—திரு. ம. கமலநாதன் : கனம் கூட்டுறவு அமைச்சர் தயவுசெய்து கீழ்க்கண்ட கேள்விகளுக்குப் பதிலளிப்பாரா—

(அ) சேலம் மாவட்டத்திலிருந்து மதுரை மாவட்டம், கும்பத்திற்கு மாற்றப்பட்டிருக்கும் அரக்கு உற்பத்தி தொழிற்சாலையை மீண்டும் சேலம் மாவட்டத்திற்கு மாற்ற உத்தேசமுண்டா?

(இ) இல்லையெனில், சேலத்தில் புதிய அரக்கு உற்பத்தித் தொழிற்சாலை ஏற்படுத்த உத்தேசமுண்டா?

THE HON. SRI N. NALLA SENAPATHI SARKARAI MAN-RADIAR : (அ) & (இ) No, Sir.

\* 211 Q.—SRI V. SANKARAN : Will the Hon. the Minister for Co-operation be pleased to state—

(a) the quantity of lac produced in the Madras State; and  
(b) whether there is any programme for the production of lac in the State and, if so, the details thereof?

THE HON. SRI N. NALLA SENAPATHI SARKARAI MAN-RADIAR : (a) About 305,000 lb. of scraped lac was produced between 1956-57 and 1961-62.

(b) In addition to the nine lac farms opened under the Second Five-Year Plan, six more centres were opened in 1961-62 under the Third Five-Year Plan.

திரு. ம. கமலநாதன் : “இல்லை” என்ற பதில் எதிர்பார்க்கப்பட்டது தான். சேலத்திலே புதிய அரக்கு உற்பத்தி தொழிற்சாலை ஏற்படாததற்குக் காரணம் என்ன?

கனம் திரு. நல்ல சேனுபதி சர்க்கரை மன்றாடியார் : அதற்கு வேண்டிய கச்சாப் பெராருள்கள் எல்லாம் சென்னையிலேதான் சலபமாகக் கிடைக்கின்றன. ஆகவே, அதை சேலத்தில் ஏற்படுத்துவதாக இல்லை என்று முடிவுக்கு வந்திருக்கிறோம்.

Medical College for Salem

\* 212 Q.—SRI MUNU. ADHI (on behalf of Sri M. V. KARI-VENGADAM) : Will the Hon. the Minister for Health be pleased to state—

(அ) whether the Government have received a copy of the resolution from the Salem District Development Council about the starting of a Medical College at Salem; and

[10th July 1962]

(b) if so, the action taken thereon?

THE HON. SRIMATHI JOTHI VENCATACHELLUM : (a) Yes, Sir.

(b) The question of shifting the Kilpauk Medical College, Madras, from Madras City and locating it in a suitable place in the mofussil is under consideration of the Government. The facilities available in Salem district will be duly taken into account by the Government while deciding the place of location of the college.

SRI M. S. SELVARAJAN : May I know whether any similar claims have come from any other district?

THE HON. SRIMATHI JOTHI VENCATACHELLUM : No, Sir.

#### *Government hospitals*

\* 213 Q.—SRI A. KUNJAN NADAR : Will the Hon. the Minister for Health be pleased to state—

(a) whether the Government are aware that the Kulasekaram Government Hospital Building is in a dilapidated condition;

(b) whether the Government have any proposal to put up a new building to house the hospital; and

(c) if so, when?

THE HON. SRIMATHI JOTHI VENCATACHELLUM : (a) Yes, Sir.

(b) & (c) Proposals for the construction of wards and other buildings, after demolition of the existing buildings in the hospital compound are under consideration.

\* 214 Q.—SRI R. S. VEERAPPA CHETTIAR : Will the Hon. the Minister for Health be pleased to state—

(a) whether there is any proposal to increase the number of beds in the Government Hospital, Dharmapuri, Salem district; and

(b) if so, the details thereof?

THE HON. SRIMATHI JOTHI VENCATACHELLUM : (a) Yes, Sir.

(b) Proposals for the construction of wards to accommodate 40 more beds are under examination by the Director of Medical Services, Madras.

#### *Industrial housing scheme*

\* 215 Q.—SRI V. S. S. MANI : Will the Hon. the Minister for Industries be pleased to state—

(a) whether there is sufficient response for the Industrial Housing Scheme from Industrialists; and

(b) if not, the reasons therefor?